

METALWORKS™ LAY-IN

Inspiring Great Spaces™

Armstrong® CEILING SOLUTIONS



Product Edge Profile

Tegular 8
For 24mm exposed grid

Microlook 8
For 15mm exposed grid

Key Selection Attributes

- Tiles are easily lifted by hand, allowing full & easy access to ceiling void
- Easily assembled and fully demountable
- Excellent Acoustical performance
- Compatible with Techzone Integrated System
- Can be combined with other Armstrong products

Typical Applications

Lay-in Metal Ceilings are versatile and can be applied in a broad range of area from small service rooms to large commercial office buildings & major transportation terminals.

Light Reflectance | **Colors available** | **Acoustical Comfort** | **Product Handling Durability** | **RH99 Humidity Resistant** | **Soil Resistant** | **Scrubbable** | **Cleanable** | **Impact Resistant**

Color Selection

White (WH)

RAL Color Matching
Matching Available with MOQ


Perforation Pattern

M1	M10	M9	M2	M3
Plain Non Perforated	Standard Perforation with Soundtex Fleece	Micro perforation (Straight) With Soundtex Fleece	Micro perforation* (Oblique) With Soundtex Fleece	Extra Micro Perforation with Soundtex Fleece

Q-L SQUARE

TECHNICAL SPECIFICATION

System	Armstrong Metalworks Lay-in System (Microlook 8 or Tegular 8)
Panel material	Galvanized steel sheet 0.5mm or Aluminum sheet 0.7mm
Acoustic inlay	Non-woven Soundtex Acoustical Fleece
Edge Profile	Q-L with 8.0mm recessed edge
Suspension System	Microlook 8: Peakform Suprafine 15mm / Select XL 15mm / Silhouette 15mm
	Tegular 8: Peakform Prelude XL 24mm
Demountability	Fully demountable without tooling
Pack size	16 pieces per carton



MICROLOOK 8

Standard Items

Perforation Pattern	M1	M10	M9	M2*	M3
Hole Diameter	—	2.5mm	1.5mm	1.5mm	0.7mm
NRC	0.10	0.80	0.75	0.70	0.65
Steel 600x600x0.5mm	L1SP060605M1WH	L1SP060605M10WH	L1SP060605M9WH	L1SC060605M2WH	L1SP060605M3WH
Alu 600x600x0.7mm	L1AP060607M1WH	L1AP060607M10WH	L1AP060607M9WH	L1AC060607M2WH	L1AP060607M3WH

TEGULAR 8


Standard Items

Perforation Pattern	M1	M10	M9	M2*	M3
Hole Diameter	—	2.5mm	1.5mm	1.5mm	0.7mm
NRC	0.10	0.80	0.75	0.70	0.65
Steel 600x600x0.5mm	L2SP060605M1WH	L2SP060605M10WH	L2SP060605M9WH	L2SC060605M2WH	L2SP060605M3WH
Alu 600x600x0.7mm	L2AP060607M1WH	L2AP060607M10WH	L2AP060607M9WH	L2AC060607M2WH	L2AP060607M3WH

R-L RECTANGLE

TECHNICAL SPECIFICATION

System	Armstrong Metalworks Lay-in System (Microlook 8 or Tegular 8)
Panel material	Galvanized steel sheet 0.5 / 0.7mm or Aluminum sheet 0.7 / 1.0mm
Acoustic inlay	Non-woven Soundtex Acoustical Fleece
Edge Profile	R-L with 8.0mm recessed edge
Suspension System	Microlook 8: Peakform Suprafine 15mm / Select XL 15mm / Silhouette 15mm
	Tegular 8: Peakform Prelude XL 24mm
Demountability	Fully demountable without tooling
Pack size	16 pieces per carton



MICROLOOK 8

Standard Items

Perforation Pattern	M1	M10	M9	M2*	M3
Hole Diameter	—	2.5mm	1.5mm	1.5mm	0.7mm
NRC	0.10	0.80	0.75	0.70	0.65
Steel 300x1200x0.5mm	L1SP120305M1WH	L1SP120305M10WH	L1SP120305M9WH	L1SC120305M2WH	L1SP120305M3WH
Steel 600x1200x0.7mm	L1SP120607M1WH	L1SP120607M10WH	L1SP120607M9WH	L1SC120607M2WH	N/A
Alu 300x1200x0.7mm	L1AP120307M1WH	L1AP120307M10WH	L1AP120307M9WH	L1AC120307M2WH	L1AP120307M3WH
Alu 600x1200x1.0mm	L1AP120610M1WH	L1AP120610M10WH	L1AP120610M9WH	N/A	N/A


TEGULAR 8

Standard Items


Perforation Pattern	M1	M10	M9	M2*	M3
Hole Diameter	—	2.5mm	1.5mm	1.5mm	0.7mm
NRC	0.10	0.80	0.75	0.70	0.65
Steel 300x1200x0.5mm	L2SP120305M1WH	L2SP120305M10WH	L2SP120305M9WH	L2SC120305M2WH	L2SP120305M3WH
Steel 600x1200x0.7mm	L2SP120607M1WH	L2SP120607M10WH	L2SP120607M9WH	L2SC120607M2WH	N/A
Alu 300x1200x0.7mm	L2AP120307M1WH	L2AP120307M10WH	L2AP120307M9WH	L2AC120307M2WH	L2AP120307M3WH
Alu 600x1200x1.0mm	L2AP120610M1WH	L2AP120610M10WH	L2AP120610M9WH	N/A	N/A

*Available in post-coated only





INSTALLATION ASSEMBLY



1. Main Beam
2. 1.2m Cross Tee
3. 0.6m Cross Tee
4. Hanger Rod
5. Wall Angle
6. Field Panel



SUSPENSION SYSTEM

				
Type	Peakform Prelude XL	Peakform Suprafine XL	Peakform Silhouette XL	Peakform SELECT XL
MICROLOOK	Not applicable	Compatible	Compatible	Compatible
TEGULAR	Compatible	Not applicable	Not applicable	Not applicable

Sales and Technical Support
asia_support@armstrongceilings.com

For configurable or customized metal options, please contact with Armstrong representative

DP-MetalWork Lay-in-06-2018 Printed on Novatech Matt White Paper

www.armstrongceilings.asia

Armstrong® CEILING SOLUTIONS